

EverestPro1250

Powersupply for Pedestal/4U Servers

SPECIFICATION

Model Name

→ EverestPro1250

Size

→ Ps2

Input Voltage

→ 110V - 240 V

Connectors

Main Board Connector 20+4 Pins	- 1
Core Voltage Connector 4+4 Pins	- 1
Core Voltage Connector 8 Pins	- 1
→ PCI Express Connector 6+2 Pins	- 3
PCI Express Connector 6 Pins	- 3
SATA Power Connector	- 10
4 Pin Power Connector	- 7
FDD Power Connector	- 1

Ampere Rating

Voltage	Amperage	
+3.3 V	- 30.0A	} Max.210W
+5 V	- 30.0A	
→ +12 V1	- 20.0A	} Max. 1080W
+12 V2	- 20.0A	
+12 V3	- 20.0A	
+12 V4	- 20.0A	
+12 V5	- 20.0A	
+12 V6	- 20.0A	
+12 V	- 0.6A	} Max. 27W
+5 VSB	- 3.0A	

Total Output

→ 1250W

Recommended Chasis

PST-9500
SR-108
→ RM-413
RM-41416B
RM-4201
RM-4241



● Everest Pro 1250



Prime Source Technologies Pvt. Ltd.
Web site : www.primesource.in